

RING HANDLE INSTRUMENTS





300-750-101★
PEEK Polymer Handle with
HF - connection



300-750-103★
PEEK Polymer Handle with ratchet
and HF - connection



300-750-105★
PEEK Polymer Handle with hook up
ratchet and HF - connection



300-750-106★
PEEK Polymer Handle with swing-away
ratchet, rotatable and HF - connection



300-750-001
Carbon Fiber Handle, rotating,
HF - connection



300-750-003
Carbon Fiber Handle, rotating,
with ratchet, HF - connection



300-750-015
Axial Handle with catch for needle holder
fixed, for all needle holder inserts,
with two gold rings



300-750-115
Axial Handle with catch, rotating,
for standard instrument,
with one golden ring



300-750-215
Axial Handle without catch,
non rotating, for standard instrument,
with two gold rings



300-750-315
Axial Handle without catch, rotating, for
standard instrument, with one gold ring



Outer Sheath, insulated, adaptable to all handles, $\varnothing$ 5 mm

210 mm 300-550-005
330 mm 300-660-005*
450 mm 300-760-005*

- exchangeable color coding locking nuts
- advantages in handling and cleaning
- strengthening of the shaft through a partial thickening at the proximal end



Outer Sheath, insulated, adaptable to all handles, $\varnothing$ 10 mm

210 mm 300-550-010
330 mm 300-660-010*
450 mm 300-760-010*



Outer Sheath, insulated, adaptable to all handles, with LuerLock

$\varnothing$ 5 mm 210 mm 300-550-105
 $\varnothing$ 10 mm 210 mm 300-550-110
 $\varnothing$ 5 mm 330 mm 300-660-105
 $\varnothing$ 10 mm 330 mm 300-660-110
 $\varnothing$ 5 mm 450 mm 300-760-105
 $\varnothing$ 10 mm 450 mm 300-760-110



300-400-900
Rubber Seals for LuerLock connectors
sales unit: 5 pcs.



300-400-901*
Rubber Seals for LuerLock connectors
sales unit: 5 pcs.



Locking Nuts

300-661-005 5mm ●
300-661-010 10mm ●
300-661-006 5mm ●
300-661-007 5mm ●
300-661-008 5mm ●
300-661-004 5mm ●
300-661-009 3.5mm* ●




300-661-006OR
Sealing ring, package of 10 pieces, autoclavable

* for 3.5mm Mini Laparoscopy instruments



3-PIECE MODULAR INSTRUMENT

- Long-life and reliable materials
- Large variety of handle designs
- Ratchet mechanism / deactivation



insert only	complete instrument	complete instrument
300-400-067	300-410-067	300-420-067
↑ Insert's Catalogue-No.	↑ Catalogue-No. of the complete Instrument	↑ Catalogue-No. of the complete Instrument

*Each piece can be ordered separately

*Each piece can be ordered separately

LAPAROSCOPY

3-piece
Instrument



Watch the video on
YouTube




The RZ spherical head
locking system for fast
assembling / disassembling



Modular 3-piece detachable instrument system consists of:





Catalogue-No. for insert only

300-400-732*



Complete Instrument
with handle 300-750-001

300-410-732



Complete Instrument
with handle 300-750-101

300-420-732*

KELLY

Dissecting forceps curved, slightly tapered, cross-serrated jaws, wide opening, double action, Ø 5 mm, 330 mm




300-400-733

300-410-733

300-420-733

BABY KELLY

Short dissecting and suturing forceps, curved, tapered, cross-serrated jaws, wide opening, double action, Ø 5 mm, 330 mm



300-400-731*

300-410-731

300-420-731*

MARYLAND

Extra fine dissector with slightly tapered tip and gently curved for precise dissection, Ø 5 mm, 330 mm



300-400-738*

300-410-738

300-420-738*

MIXTER

Fine dissecting forceps, 90° angled, fine serrated jaws, double action, Ø 5 mm, 330 mm



insert only

300-400-735*



Complete Instrument
with handle 300-750-001

300-410-735




Complete Instrument
with handle 300-750-101

300-420-735*

RIGHT ANGLE

Dissecting grasping forceps, fine serrated jaws, double action, Ø 5 mm, 330 mm




300-400-736*

300-410-736

300-420-736*

RIGHT ANGLE

Dissecting grasping forceps, fine serrated jaws, double action, Ø 10 mm, 330 mm



300-400-741

300-410-741

300-420-741

OVERHOLT

Dissecting forceps 90° angled jaws, double action, Ø 10 mm, 330 mm



300-400-740

300-410-740

300-420-740

MIXTER

Dissecting forceps, 10 mm long tip, 90° angled jaws, double action, Ø 10 mm, 330 mm




300-400-027

300-410-027

300-420-027

PETELIN

Dissecting forceps, single action jaws, angled 60° left. deep serrations, Ø 5 mm, 330 mm



insert only

300-400-730



Complete Instrument
with handle 300-750-001

300-410-730




Complete Instrument
with handle 300-750-101

300-420-730

MARYLAND

Dissecting forceps curved left, blunt jaws, double action, Ø 10 mm, 330 mm




300-400-734

300-410-734

300-420-734

MIXTER 45°

Dissecting forceps curved with long fine serrated jaws, double action, Ø 10 mm, 330 mm




300-400-737

300-410-737

300-420-737

OVERHOLT-MIXTER

Dissecting forceps curved with slim long serrated jaws, double action, Ø 10 mm, 330 mm



300-400-739*

300-410-739

300-420-739*

MIXTER 90°

Dissecting forceps 90° angled, serrated jaws, double action, Ø 10 mm, 330 mm



insert only

300-400-044



300-410-044



300-420-044

ADHESION FORCEPS

Serrated jaws, one fenestrated, double action, Ø 5 mm, 330 mm




300-400-109

300-410-109

300-420-109

GRASPING FORCEPS

1x2 teeth, single action, Ø 5 mm, 330 mm



300-400-251*

300-410-251

300-420-251*

BABCOCK

Grasping forceps, single action, Ø 5 mm, 330 mm




300-400-023

300-410-023

300-420-023

JOHANS

Grasping forceps, fenestrated jaws, serrated, 12mm, single action, Ø 5 mm, 330 mm



insert only	Complete Instrument with handle 300-750-001	Complete Instrument with handle 300-750-101
300-400-016*	300-410-016	300-420-016*

NEEDLE NOSE

Dissecting and grasping forceps with tapered and fine, cross-serrated jaws, double action, Ø 5 mm, 330 mm



300-400-003	300-410-003	300-420-003
-------------	-------------	-------------

NEEDLE NOSE


Dissecting and grasping forceps with tapered and fine, cross-serrated jaws, single action, Ø 5 mm, 330 mm



300-400-040	300-410-040	300-420-040
-------------	-------------	-------------

FENESTRATED BULLNOSE

Dissecting and grasping forceps with delicate, fenestrated and flat jaws, deep serration, double action, Ø 5 mm, 330 mm



300-400-610	300-430-610	300-440-610
-------------	-------------	-------------

PYLORUS

Spreader, double action, Ø 5 mm, 330 mm



insert only	Complete Instrument with handle 300-750-001	Complete Instrument with handle 300-750-101	Complete Instrument with handle 300-750-003	Complete Instrument with handle 300-750-103
300-400-025*	300-410-025	300-420-025*	300-430-025	300-440-025*

DOLPHIN

Dissecting and grasping forceps with biopsy cup and fine serrated and tapered jaws, double action, Ø 5 mm, 330 mm



insert only

300-400-012*



300-430-012



300-440-012*

JAEGER

Grasping forceps with fenestrated jaws, DeBaKey serration, 20 mm, double action, Ø 5 mm, 330 mm



300-400-015*

300-430-015

300-440-015*

FUNDUS

Grasping forceps with 2 cups and serrated jaws, double action, Ø 5 mm, 330 mm




300-400-005

300-430-005

300-440-005

BULLDOG

Grasping forceps with fine serrated jaws, single action, Ø 5 mm, 330 mm



300-400-021


300-430-021

300-440-021

DOLPHIN

Grasping and dissecting forceps with fine serrated tapered jaws, double action, Ø 5 mm, 330 mm

					
	insert only	Complete Instrument with handle 300-750-003	Complete Instrument with handle 300-750-103	Complete Instrument with handle 300-750-105	
	300-400-001*	300-430-001	300-440-001*	300-460-001*	
BULLNOSE Grasping forceps, heavy pattern, standard serrated jaws, double action, Ø 5 mm, 330 mm					
	300-400-008	300-430-008	300-440-008	300-460-008	
STRONG TC GRASPER Grasping forceps with Tungsten Carbide jaw inserts, heavy pattern, pyramidal tip, serrated jaws, double action, Ø 5 mm, 330 mm					
	300-400-029*	300-430-029	300-440-029*	300-460-029*	
STRONG TC GRASPER Grasping forceps with Tungsten Carbide jaw inserts, heavy pattern, pyramidal tip, serrated, 15 mm long jaws, double action, Ø 5 mm, 330 mm					
	300-400-002	300-430-002	300-440-002	300-460-002	
XL BULLNOSE Grasping forceps, standard serrated jaws, double action, Ø 5 mm, 330 mm					
	300-400-000	300-430-000	300-440-000	300-460-000	
STANDARD Grasping forceps with biopsy cup, heavy pattern, standard serrated jaws, double action, Ø 5 mm, 330 mm					
	300-400-017*	300-430-017	300-440-017*	300-460-017*	
GRIPPER #1 Grasping forceps with coarse-serrated, fenestrated jaws, double action, Ø 5 mm, 330 mm					



insert only

300-400-013*



Complete Instrument
with handle 300-750-003

300-430-013



Complete Instrument
with handle 300-750-103

300-440-013*



Complete Instrument
with handle 300-750-105

300-460-013*

PRESTIGE

Atraumatic grasping forceps with long, wave shaped jaws and deep cup with lateral serration, double action, Ø 5 mm, 330 mm



300-400-033*


300-430-033

300-440-033*

300-460-033*

PRESTIGE

Grasping Forceps, wave-shaped lateral serration, and deep cup, single action, atraumatic, Ø 5 mm, 330 mm



300-400-053

300-430-053

300-440-053

300-460-053

ALLIGATOR

Grasping forceps with fine sharp lateral teeth and deep cup, double action, Ø 5 mm, 330 mm

NON-DETACHABLE PRESTIGE FORCEPS

Complete Instrument, rotating, insulated, with prestige handle and Luer-Lock connection, 330mm working length



Ø 5 mm

1/1

300-111-013
Double action jaws

Ø 5 mm

1/1

300-111-033
Single action jaws




insert only

300-400-004*



300-430-004



300-440-004*



300-460-004*

KOCHER

Grasping forceps with aggressive 3 x 4 teeth and serrated inner jaws, double action, Ø 5 mm, 330 mm



300-400-006

300-430-006

300-440-006

300-460-006

KOCHER

Grasping forceps with aggressive 2 x 4 teeth and serrated inner jaws, single action, Ø 5 mm, 330 mm



300-400-014

300-430-014

300-440-014

300-460-014

ALLIS

Grasping forceps with 1 x 2 teeth and smooth inner jaws, single action, Ø 5 mm, 330 mm



300-400-009

300-430-009

300-440-009

300-460-009

ALLIS

Grasping forceps with 1 x 2 teeth and serrated inner jaws, double action, Ø 5 mm, 330 mm



300-400-201*

300-430-201

300-440-201*

300-460-201*

COBRA

Grasping forceps with sharp 2 x 4 teeth and serrated inner jaws, double action, Ø 5 mm, 330 mm



insert only

300-400-011★



Complete Instrument
with handle 300-750-003

300-430-011



Complete Instrument
with handle 300-750-103

300-440-011★



Complete Instrument
with handle 300-750-105

300-460-011★

MARTIN

Grasping forceps with multiple fine serrations, 4.8 mm wide jaws, single action, Ø 5 mm, 330 mm



300-400-713★

300-430-713

300-440-713★

300-460-713★

CLAW GRASPER

Grasping forceps, aggressive 2 x 3 teeth and smooth inner jaws, single action, Ø 5 mm, 330 mm



300-401-713

300-431-713

300-441-713

300-461-713

CLAW GRASPER

Grasping forceps, aggressive 2 x 3 teeth and smooth inner jaws, single action, Ø 5 mm, 450 mm



300-400-710★

300-430-710

300-440-710★

300-460-710★

CLAW GRASPER

Grasping forceps, aggressive 2 x 3 teeth and smooth inner jaws, single action, Ø 10 mm, 330 mm



300-400-717

300-430-717

300-440-717

300-460-717

DAVIS

Grasping forceps, blunt interlocking 2 x 3 teeth and long ridged inner jaws, double action, Ø 5 mm, 330 mm



300-400-715

300-430-715

300-440-715

300-460-715


ST. ANDREWS

Grasping forceps, with sharp 2 x 4 teeth and wave shaped inner jaws, double action, Ø 5 mm, 330 mm




insert only

300-400-051



300-430-051




300-440-051



300-460-051

ALLIGATOR SPOON

Grasping forceps with cupped jaws, aggressive retrograde lateral teeth, double action, Ø 5 mm, 330 mm



300-400-010*

300-430-010

300-440-010*

300-460-010*

ALLIGATOR

Grasping forceps with strong retrograde serrations, double action, Ø 5 mm, 330 mm



300-400-048


300-430-048

300-440-048

300-460-048

SHARK

Grasping forceps with very sharp and aggressive lateral retrograde teeth, double action, Ø 5 mm, 330 mm



300-400-018

300-430-018

300-440-018

300-460-018

CLINCH

Grasping forceps with strong serration and fenestrated jaws, double action, Ø 5 mm, 330 mm



300-400-049

300-430-049

300-440-049

300-460-049

ENDOCLINCH

Grasping forceps, wave-shaped, fenestrated, double action, Ø 5 mm, 330 mm



insert only

300-400-042



300-410-042



300-420-042

PIN GRASPER

Grasping Forceps with fine 1x2 teeth, smooth inner jaws, double action, Ø 5 mm, 330 mm




300-400-045

300-410-045

300-420-045

OVARY

Grasping forceps with fine serrated, wave shaped jaws, double action, Ø 5 mm, 330 mm



300-400-046

300-410-046

300-420-046

TUBAL

Dissecting and grasping forceps with smooth jaws, double action, Ø 5 mm, 330 mm




300-400-024

300-410-024

300-420-024

DUCKBILL

Grasping and dissecting forceps with flat jaws, fine serrations, double action, Ø 5 mm, 330 mm



300-400-032

300-410-032

300-420-032

PETITE

Micro Grasping Forceps, double action, fenestrated, fine jaw, fine serration




300-400-026

300-410-026

300-420-026

PETELIN

Grasping and Dissecting Forceps with serrated jaws, curved left, single action, Ø 5 mm, 330 mm



insert only

300-400-289*



Complete Instrument
with handle 300-750-003

300-430-289



Complete Instrument
with handle 300-750-103

300-440-289*




Complete Instrument
with handle 300-750-105

300-470-289*

JOHANS

Grasping forceps with 20 mm fenestrated jaws, double action, Ø 5 mm, 330 mm



300-400-291*

300-430-291

300-440-291*

300-470-291*

LONG JOHANS

Grasping forceps with 40 mm fenestrated jaws, double action, Ø 5 mm, 330 mm



300-400-285*


300-430-285

300-440-285*

300-470-285*

DORSEY

Grasping forceps with 12 mm fenestrated jaws, double action, Ø 5 mm, 330 mm



300-400-287


300-430-287

300-440-287

300-470-287

LONG DORSEY

Grasping forceps with 45 mm fenestrated jaws, double action, Ø 5 mm, 330 mm



300-400-288

300-430-288

300-440-288

300-470-288

LONG JOHANS

Grasping forceps with 40 mm fenestrated jaws, single action, Ø 5 mm, 330 mm



insert only

300-400-284*



Complete Instrument
with handle 300-750-003

300-430-284



Complete Instrument
with handle 300-750-103

300-440-284*



Complete Instrument
with handle 300-750-105

300-470-284*

JOHANS

Grasping forceps with 20 mm fenestrated jaws, single action, Ø 5 mm, 330 mm



300-400-310*

300-430-310

300-440-310*

300-470-310*

300-400-312**

300-430-312*

300-440-312**

300-470-312**

MARQUES

Grasping forceps with 2 fenestrations, single action, Ø 5 mm, 330 mm

* with 3 fenestrations



300-400-314*

300-430-314

300-440-314*

300-470-314*

MARQUES

Grasping forceps with 2 fenestrations, bent up, single action, Ø 5 mm, 330 mm



300-400-311

300-430-311

300-440-311

300-470-311

300-400-313*

300-430-313*

300-440-313*

300-470-313*

MARQUES

Grasping forceps with 2 fenestrations, double action, Ø 5 mm, 330 mm

* with 3 fenestrations



300-400-052*

300-430-052

300-440-052*

300-470-052*

GRASPER


Atraumatic Grasping forceps with fenestrated jaws, fine serrations, double action, Ø 5 mm, 330 mm

LAPAROSCOPY

Biopsy Forceps

Ø 5 mm  1/1	insert only	 Complete Instrument with handle 300-750-001	 Complete Instrument with handle 300-750-101
	300-400-080*	300-410-080	300-420-080*
Ø 5 mm  1/1	300-400-082	300-410-082	300-420-082
Ø 5 mm  1/1	300-400-521	300-410-521	300-420-521
Ø 5 mm  1/1	300-400-086	300-410-086	300-420-086
Ø 5 mm  1/1	300-400-100	300-410-100	300-420-100
BLAKESLEY Biopsy forceps with sharp cups, single action, Ø 5 mm, 330 mm			
Hook punch forceps, thru-cutting, single action, Ø 5 mm, 330 mm			

Ø 5 mm



1/1

insert only

300-400-250



Complete Instrument
with handle 300-750-003

300-430-250



Complete Instrument
with handle 300-750-103

300-440-250



Complete Instrument
with handle 300-750-105

300-470-250

BABCOCK PADDLE

Grasping forceps with flat paddles and fine serration for atraumatic grip of delicate tissue, double action, Ø 5 mm, 330 mm

Ø 5 mm



1/1

300-400-252*

300-430-252

300-440-252*

300-470-252*

BABCOCK

Traditional style Babcock grasping forceps, rounded jaws with fine serrations, double action, Ø 5 mm, 330 mm

Ø 10 mm



1/1

300-400-079

300-430-079

300-440-079

300-470-079

DEBAKEY BABCOCK

Traditional style Babcock grasping forceps, rounded jaws with atraumatic DeBaKey serration, double action, Ø 10 mm, 330 mm

Ø 10 mm



1/1

300-400-078*


300-430-078

300-440-078*

300-470-078*

BABCOCK

Traditional style Babcock grasping forceps with medium jaws, rounded jaws with fine serrations, double action, Ø 10 mm, 330 mm



insert only

300-400-234

Complete Instrument
with handle 300-750-003

300-430-234

Complete Instrument
with handle 300-750-103


300-440-234

Complete Instrument
with handle 300-750-105

300-470-234

LONG BABCOCK

Traditional style Babcock grasping forceps with long jaws, rounded jaws with fine serrations, double action, Ø 10 mm, 330 mm



300-400-280


300-430-280

300-440-280

300-470-280

LONG DUVAL

Grasping forceps with long jaws, V-shaped tip with fine serrations, double action, Ø 10 mm, 330 mm



300-400-084

300-430-084

300-440-084


300-470-084

COLLIN-DUVAL

Grasping forceps, V-shaped tip with fine serrations on the tip, double action, Ø 10 mm, 330 mm

LAPAROSCOPY

Grasping Forceps



insert only

300-400-074



Complete Instrument
with handle 300-750-003

300-430-074



Complete Instrument
with handle 300-750-103

300-440-074




Complete Instrument
with handle 300-750-105

300-470-074

ALLIS

Traditional Allis grasping forceps, with fine serrations on the tip, double action, Ø 10 mm, 330 mm



300-400-097

300-430-097

300-440-097

300-470-097

SLIM ALLIS

Grasping forceps with delicate jaws and with fine serrations on the tip, double action, Ø 5 mm, 330 mm



300-400-197


300-430-197

300-440-197

300-470-197

ALLIS

Bowell grasping forceps, 4 mm x 35 mm, double action, Ø 5 mm, 330 mm



300-400-085*

300-430-085

300-440-085*

300-470-085*

COLLIN

Grasping forceps, V-shaped tip with deep serrations for firm grip, double action, Ø 10 mm, 330 mm

LAPAROSCOPY

Grasping Forceps



insert only
300-400-243


 Complete Instrument with handle 300-750-003
300-430-243

 Complete Instrument with handle 300-750-103
300-440-243

 Complete Instrument with handle 300-750-105
300-460-243

DEBAKEY

Pick-up forceps with fine 22 mm long atraumatic serrations, 38 mm jaws, double action, Ø 5 mm, 330 mm



300-400-244


300-430-244

300-440-244

300-460-244

DEBAKEY

Atraumatic grasping forceps, fine atraumatic serrations, double action, 25 mm jaws, Ø 5 mm, 330 mm



300-400-245


300-430-245

300-440-245

300-460-245

DEBAKEY

Atraumatic grasping forceps, fine atraumatic serrations, double action, 40 mm jaws, Ø 5 mm, 330 mm



300-400-246

300-430-246

300-440-246

300-460-246

DEBAKEY

Atraumatic grasping forceps, fine atraumatic serrations, double action, 60 mm jaws, Ø 5 mm, 330 mm



300-400-275


300-430-275

300-440-275

300-460-275

KOCHER

Bowell forceps, 40 mm long longitudinal serrated jaws, Ø 10 mm, 330 mm



insert only
300-400-263


Complete Instrument with handle 300-750-003
300-430-263

Complete Instrument with handle 300-750-103
300-440-263

Complete Instrument with handle 300-750-105
300-460-263

DEBAKEY

Atraumatic grasping forceps, fine atraumatic serrations, double action, 25 mm jaws, Ø 10 mm, 330 mm



300-400-264


300-430-264

300-440-264

300-460-264

DEBAKEY

Atraumatic grasping forceps, fine atraumatic serrations, double action, 40 mm jaws, Ø 10 mm, 330 mm



300-400-266

300-430-266

300-440-266

300-460-266

DEBAKEY

Atraumatic grasping forceps, fine atraumatic serrations, double action, 60 mm jaws, Ø 10 mm, 330 mm



300-400-274

300-430-274

300-440-274

300-460-274

GLASSMAN

Grasping forceps, atraumatic serrations, double action, Ø 10 mm, 330 mm



300-400-276


300-430-276

300-440-276

300-460-276

GLASSMAN

Grasping forceps with oblique, parallel serrations, double action, 60 mm jaws, Ø 10 mm, 330 mm



insert only

300-400-295



Complete Instrument
with handle 300-750-003

300-430-295



Complete Instrument
with handle 300-750-103

300-440-295



Complete Instrument
with handle 300-750-105

300-460-295

ANVIL

Grasping forceps with specially shaped jaws to grasp and hold the anvil of a circular stapler, double action, Ø 10 mm, 330 mm



300-400-286


300-430-286

300-440-286

300-460-286

DORSEY

Grasping forceps, fenestrated jaws with medium serrations, double action, Ø 10 mm, 330 mm



300-400-030


300-430-030

300-440-030

300-460-030

GEEGEE

Dissecting and grasping forceps with fine jaws, strongly curved and fine serrations, **single action**, Ø 5 mm, 330 mm



300-400-076

300-430-076

300-440-076

300-460-076

GEEGEE

Dissector and grasping forceps with fine jaws, strongly curved and fine serration, **single action**, Ø 10 mm, 330 mm

LAPAROSCOPY

Grasping Forceps



insert only

300-400-720*



Complete Instrument
with handle 300-750-003

300-430-720



Complete Instrument
with handle 300-750-103

300-440-720*



Complete Instrument
with handle 300-750-105

300-460-720*

SPOON

Forceps with sharp, cup-shaped jaws for tissue or stone removal, **single action**, Ø 10 mm, 330 mm



300-400-781


300-430-781

300-440-781

300-460-781

NUSSBAUM INTESTINAL CLAMP

Longitudinal, flexible and cross-serrated jaws, 8 mm x 90 mm, Ø 10 mm, 330 mm



300-400-700

300-430-700

300-440-700

300-460-700

RETROGRADE

Grasping and extracting forceps with deep retrograde serration for a secure grip of tissue, **single action**, Ø 5 mm, 330 mm



300-400-753*


300-430-753

300-440-753*

300-460-753*

TENACULUM FORCEPS

35mm long jaws, **double action**, Ø 10 mm, 330 mm



300-400-751*

300-430-751

300-440-751*

300-460-751*

TENACULUM FORCEPS

35mm long jaws, **double action**, Ø 5 mm, 330 mm



Complete Instrument
with handle 300-750-015

insert only

Ø 5 mm

300-400-200*

300-490-200



SATINSKY

Grasping Forceps, 50 mm atraumatic jaws, Ø 5 mm, 330 mm

Ø 5 mm

300-400-202

300-490-202



SATINSKY

Grasping Forceps, 40 mm atraumatic jaws, Ø 5 mm, 330 mm

Ø 5 mm

300-400-206

300-490-206



CRAFOORD


Thorax clamp, 50 mm atraumatic jaws, Ø 5 mm, 330 mm

 Ø 5 mm 1/1	insert only	 Complete Instrument with handle 300-750-015
	300-400-204	

CRAFOORD
Thorax clamp, 35 mm atraumatic jaws, Ø 5 mm, 330 mm

 Ø 5 mm 1/1	300-400-220*	300-490-220
	DEBAKEY Pulmonary atraumatic Clamp, curved shape, Ø 5 mm, 330 mm	

 Ø 5 mm 1/1	300-400-221	300-490-221
	DEBAKEY Pulmonary atraumatic Clamp, s-shaped, Ø 5 mm, 330 mm	



ORIGINAL METZENBAUM

Scissors, short blades (12 mm), slightly curved, double action, Ø 5 mm, 330 mm

insert only

300-400-067*



Complete Instrument
with handle 300-750-001

300-410-067



Complete Instrument
with handle 300-750-101

300-420-067*



METZENBAUM

Scissors, short blades (12 mm), straight, double action, Ø 5 mm, 330 mm

300-400-069*

300-410-069

300-420-069*



METZENBAUM

Scissors, short, with **Diamond Dusted** blades (12 mm), curved, double action, Ø 5 mm, 330 mm

300-400-172

300-410-172

300-420-172



METZENBAUM

Scissors, medium, with **Diamond Dusted** blades (15 mm), straight, double action, Ø 5 mm, 330 mm



300-400-168

300-410-168

300-420-168

LAPAROSCOPY

Scissors

Ø 5 mm  1/1	insert only 300-400-072*	 Complete Instrument with handle 300-750-001 300-410-072	 Complete Instrument with handle 300-750-101 300-420-072*
Ø 5 mm  1/1	300-400-070*	300-410-070	300-420-070*
Ø 5 mm  1/1	300-400-068*	300-410-068	300-420-068*
Ø 5 mm 	300-400-071	300-410-071	300-420-071
Ø 5 mm  1/1	300-400-169	300-410-169	300-420-169

METZENBAUM

Scissors, medium blades (15 mm), slightly curved, double action, Ø 5 mm, 330 mm

METZENBAUM

Scissors, long blades (18 mm), slightly curved, double action, Ø 5 mm, 330 mm

METZENBAUM

Scissors, medium blades (15 mm), straight, double action, Ø 5 mm, 330 mm

METZENBAUM

Scissors, long blades (18 mm), straight, double action, Ø 5 mm, 330 mm

METZENBAUM

Scissors, medium blades (15 mm) coated with **Diamond Dust**, slightly curved, double action, Ø 5 mm, 330 mm, **DD-Coating** gives the scissors' blades a more durable cutting performance.



TC METZENBAUM

Scissors, long blades (18 mm) with **Tungsten Carbide** inserts, strong curved, double action, Ø 5 mm, 330 mm

insert only

300-400-170




Complete Instrument
with handle 300-750-001

300-410-170



Complete Instrument
with handle 300-750-101

300-420-170



TC METZENBAUM

Scissors, short blades (12 mm) with **Tungsten Carbide** inserts, slight curved, double action, Ø 5 mm, 330 mm

300-400-171

300-410-171

300-420-171



HINGELESS TC METZENBAUM

Scissors, long blades (18 mm), curved, double action, Ø 5 mm, 330 mm, with **Tungsten Carbide** inserts
For use with shaft 300-660-015 only

300-400-180

300-410-180

300-420-180



HINGELESS TC METZENBAUM

Scissors, short blades (12 mm), curved, double action, Ø 5 mm, 330 mm, with **Tungsten Carbide** inserts
For use with shaft 300-660-015 only

300-400-181

300-410-181

300-420-181



METZENBAUM CERA CUT®

Scissors, medium blades (15 mm) slightly curved, double action, Ø 5 mm, 330 mm

insert only

300-400-072CC



300-410-072CC



300-420-072CC



METZENBAUM TC CERA CUT®

TC Scissors, medium blades (16 mm), curved, double action, Ø 5 mm, 330 mm

300-400-170CC

300-410-170CC

300-420-170CC



METZENBAUM TC

TC Scissors, medium blades (15 mm), curved, double action, Ø 5 mm, 330 mm

300-400-173

300-410-173

300-420-173



METZENBAUM

Scissors, bow shape curved, 16mm blades, fine serrated, double action, Ø 5 mm, 330 mm

300-400-065

300-410-064

300-420-064



METZENBAUM TC

TC Scissors, bow shape curved, 16mm blades, fine serrated, double action, Ø 5 mm, 330 mm

300-400-165★

300-410-165

300-420-165★




METZENBAUM

Scissors, slightly curved, double action, Ø 10 mm, 330 mm

300-400-056

300-410-056

300-420-056



insert only

300-400-063



Complete Instrument
with handle 300-750-001

300-410-063



Complete Instrument
with handle 300-750-101

300-420-063

PERITONEAL

Scissors, delicate with fine serrated blades, straight, single action, Ø 5 mm, 330 mm



300-400-060*

300-410-060

300-420-060*

HOOK

Scissors with round cutting blades, single action, Ø 5 mm, 330 mm



300-400-062

300-410-062

300-420-062

HOOK

Scissors with round cutting blades, fine serrated lower blade,
single action, Ø 5 mm, 330 mm



300-400-060CC

300-410-060CC

300-420-060CC

HOOK CERA CUT®

Scissors with round cutting blades, single action, Ø 5 mm, 330 mm

Ø 5 mm



1/1

insert only

300-400-570



Complete Instrument
with handle 300-750-001

300-410-570



Complete Instrument
with handle 300-750-101

300-420-570

MICRO

Scissors with straight sharp blades, single action, Ø 5 mm, 330 mm

Ø 5 mm



1/1

300-400-571

300-410-571

300-420-571

MICRO

Scissors with curved sharp blades, single action, Ø 5 mm, 330 mm

Ø 5 mm



1/1

300-400-572

300-410-572

300-420-572


MICRO

Scissors with curved sharp blades, double action, Ø 5 mm, 330 mm



4-PIECE ENDO TIP SYSTEM

- Reusable handle and shaft, disposable tip
- Always having a sharp tip
- Ecological and economical - reduces waste and saves budget



Complete Instrument consists of:

- 1 PEEK Polymer Handle (300-450-300)
- 2 Actuator rod (300-450-006)
- 3 Outer tube including screw cap blue, Ø 5 mm (300-450-005)
- 4 Insert

1 PEEK POLYMER HANDLES



300-450-300 PEEK Polymer Handle, blue rotating wheel,
without ratchet





The EndoTip system allows to reuse the handle and the sheath of the Instrument, but gives the opportunity to easily change the tip. That provides an always sharp scissors without creating the waste of a complete single use instrument.

4



METZENBAUM non-sterile, limited reusable
 300-450-177 medium, 15mm curved
 300-450-171 short, 10mm, curved
 300-450-173 long, 18 mm, curved
 300-450-174 long, 18 mm, straight
 300-450-176 medium, 15mm, straight



METZENBAUM sterile, single use
 300-450-177S medium, 15mm curved
 300-450-171S short, 10mm, curved



JOHNS Grasper, fenestrated
 300-450-289 non-sterile (limited reusable)
 300-450-289S sterile



MARYLAND Grasper, curved
 300-450-731 non-sterile (limited reusable)
 300-450-731S sterile



ENDOCLINCH Grasper, fenestrated
 300-450-049 non-sterile (limited reusable)
 300-450-049S sterile

CHOLANGIOGRAPHY SYSTEM



300-100-760 Cholangiography fixation clamp with channel for 6 Fr. catheters, Ø 5 mm, 330 mm working length, with ratchet and LuerLock, double action jaws



300-100-641 Cholangiography catheter, 6 Fr., for use with Cholangiography fixation clamp



300-011-500 2-way stop cock with 2 valves and LuerLock connector for use with flexible tube 300-011-501 for contrast solution



300-011-501 Flexible tube with 2 LuerLock connectors



300-193-330 Guide tube for Cholangiography catheter, Ø 5 mm, 330 mm working length



RZ FAN RETRACTORS

- One-piece instrument with flush port
- 50° vertical adjustment
- Available in Ø 5mm and 10mm



1/1



RZ Fan Retractor, 330mm working length

300-065-000* 10 mm, with 5 prongs

300-063-000* 5 mm, with 3 prongs



Esophagus Retractor with cleaning port, vertical up 90°, with distal hole

300-099-033 5 mm, 330 mm working length

300-099-100 5 mm, 440 mm working length

300-099-133 10 mm, 330 mm working length

300-099-140 10 mm, 440 mm working length



300-065-100 Advanced Fan Retractor, 10 mm, 5 prongs,
angulation: max. 80°, spread: max. 60°, length: 330 mm

ARTICULATING LAPAROSCOPIC RETRACTORS & BAND-PASSER


- 5mm shaft
- For use with 5.0 or 5.5mm trocars
- With LuerLock




Carbon handle with overload protection



Atraumatic segments, jamming is prevented



The nitinol wire straightens the working end to allow easy introduction and extraction




TRIANGULAR

Straight	Width	Working length	
	60mm	330mm	300-069-000*
	60mm	450mm	300-069-450
	80mm	330mm	300-070-000*
	80mm	450mm	300-070-450



30° angled	Width	Working length	
	60mm	330mm	300-072-000*
	60mm	450mm	300-072-450
	80mm	330mm	300-073-000*
	80mm	450mm	300-073-450*




HOOK

90° upwards	Shape	Working length	
	Curved right	340mm	300-075-001
	Curved left	340mm	300-075-002




45° angled	Shape	Working length	
	Curved right	340mm	300-075-101
	Curved left	340mm	300-075-102





CIRCLE

	Width	Working length	
Straight	40mm	340mm	300-076-001
Angled	40mm	340mm	300-076-101




BAND-PASSER

Working length	
330mm	300-071-000*
450mm	300-071-450*



J-RETRACTOR

Working length	
340mm	300-077-000



350-660-100* Uterus Manipulator, complete with 6 inserts

Inserts



350-660-111* Ø 8 x 80 mm



350-660-112* Ø 10 x 100 mm



350-660-113* Ø 3 x 45 mm



350-660-114* Ø 3 x 55 mm



350-660-115* Ø 3.2 x 35 mm



350-660-116* Ø 3.2 x 45 mm



COHEN


Self retaining Cannula complete with 2 interchangeable acorns

350-750-000*

Acorn only

350-750-002 large

350-750-001 small



350-400-250* **SCHROEDER** tenaculum forceps



Myoma screw

300-032-015* Ø 5mm, 330mm working length

300-042-005 Ø 5mm, 420mm working length

300-033-010 Ø 10mm, 330mm working length

300-042-010 Ø 10mm, 420mm working length




RZ Myoma Grasping Forceps, 330 mm working length

350-755-007 7 mm jaws

350-755-011 ★ 11 mm jaws

350-755-017 17 mm jaws




- For use through a morcellator blade or trocar sleeve
- With strong flip-away ratchet
- With LuerLock
- 420mm working length



300-110-714
Tenaculum Forceps, Ø10mm



300-110-711
Claw Forceps, Ø10mm




300-110-715
Tenaculum Forceps, Ø5mm




300-110-712
Claw Forceps, Ø5mm

RZ RING APPLICATORS



300-100-120 Ring Applicator for tubal sterilization, 450mm, for single puncture for use with Operating Laparoscopes with Ø 6mm instrument channels (300-099-006 and 300-099-106).
A knurled screw is fixing the Ring Applicator securely to the telescope



300-100-122* Ring Applicator for Tubal Sterilisation, 330mm, for second puncture, for use with Trocar sleeves Ø 7.0mm



300-100-125 Cone for Ring Applicator




300-100-127 Loading Device for Ring Applicator



Plastic Rings
300-100-126 sterile package of 2 pieces

CLIP APPLYING BULLDOG CLAMPS NEEDLE HOLDERS



ENDOSCOPIC CLIP APPLYING FORCEPS - TITAN CLIPS

- 360° rotatable
- Color-coded
- Detachable and non-detachable models



TYPE ETHICON, TITANIUM

Size / color code	detachable, 330mm	A insert only, 330mm	B shaft only
S (blue) ■	300-810-001	300-810-101	300-830-010
M (white) □	300-810-002	300-810-102	300-830-010
M/L (green) ■	300-810-004*	300-810-104	300-830-010
L (yellow) ■	300-810-006*	300-810-106	300-830-010
Size / color code	detachable, 450mm	A insert only, 450mm	B shaft only
S (blue) ■	300-810-401	300-810-501	300-830-410
M (white) □	300-810-402	300-810-502	300-830-410
M/L (green) ■	300-810-404	300-810-504	300-830-410
L (yellow) ■	300-810-406	300-810-506	300-830-410
Size / color code	non detachable, 330mm	non detachable, 450mm	
S (blue) ■	300-800-001	300-800-401	
M (white) □	300-800-002	300-800-402	
M/L (green) ■	300-800-004*	300-800-404	
L (yellow) ■	300-800-006*	300-800-406	